Dane aktualne na dzień: 14-11-2026 05:18

Link do produktu: https://www.ecaraudio.eu/zapco-st-1000xm-ii-wzmacniacz-monofoniczny-moc-rms-1x1000-wat-przy-1-ohm-p-920.html



Zapco ST-1000XM II - wzmacniacz monofoniczny , moc RMS 1x1000 Wat przy 1 Ohm

Twoja cena zakupu brutto (z VAT)	**1 960,00 zł**
Cena netto	**1 593,50 zł**
Dostępność	**W magazynie - dostawa natychmiast**
Kod produktu	**Zapco ST-1000XM II - sztuka**
Producent	**Zapco**

Opis produktu

Studio-XM Class D Bass Amplifiers

Bass, Bass, Bass.... and more bass.

Bass is only a small part of most any musical pieces, but it is what sets the mood for everything else. And, although everyone wants bass, everyone’s needs for bass are not the same. In the Studio-X line we have six Class D, mono bass amplifiers, ranging from 500 Watts RMS to 2,000 watts RMS. And if that is not enough for you... all the Studio-XM amps can be strapped together to a single voice coil, so you can always double you power by just buying another of the same model amp.

All the ST-XM Class D bass amps are 1Ω stable as necessary in today’s market. However, we also see a strong need to provide power to a 2Ω load in the medium power ranges for the sound quality fanatic in all if us. The 2Ω load, is a more efficient use of current and is better for sound quality. The ST-850XM and the ST-1350XM were both designed to have maximum efficiency and produce over 70% of their power into a 2Ω load with 600W RMS and 970W RMS respectively. With RMS powers of 500W, 850W, 1,000W, 1350W, 1650W, and 2,000W, and the ability to strap together, the ST-XM amps cover just about any need you might have from 500watts to 4,000 watts.

Here is what all the new ST-XM amps share:

Remote Dash Control - All the ST-X amps come with a remote so you can change the bass output as needed instantly.

Input Sensitivity (Gain) Control - Sets sensitivity anywhere 200mV to over 5 volts.

Mono Bridge Out and Bridge In - These allow the bridging of two amplifiers together (Strapping). When the Bridge Out RCA from the main amp is connected to the Bridge RCA In of the slave amp, the main (out) amp will take priority for control. At that point you will make all adjustments at the main amp only and they will be duplicated in the slave amp.

Low Pass Crossover - Intended only as bass amplifiers, all the ST-XM amps have a full time low pass crossover variable from 40 to 180Hz.

Sub Sonic (HP) Filter - Reproducing frequencies below those you want to hear wastes amplifier power. The Sub Sonic filter helps save that energy for the frequencies you do want to hear. More importantly, trying to reproduce frequencies below the range of the woofer can quickly destroy your woofer. This is especially important for ported enclosures. i.e. If your enclosure is ported 40Hz then you should set you Sub Sonic to 40 Hz to protect your

subwoofer investment.

Bass Boost Control - All the ST-XM amplifiers have a variable bass boost. You can vary the amount of the bass boost from 0dB to 12dB as needed for your particular installation.

Bass Frequency Control - Fact: No two cars are the same. The bass response of a woofer will be different in every car you put it in, so a bass boost at 50Hz can be great for one car but useless in another. The ST-X Bass Frequency control allows you to set the bass boost at any frequency from 30Hz to 80Hz, so you can set it precisely to match your music in your car.

Phase Control - Facing you bass enclosure to the front will sound different than facing it to the rear. In either case, changing the phase of the woofers will also make a difference. The problem is you won’t know which is best until the system is installed. Then you can listen each way to see which way the bass sounds best. The phase control on the ST-XM amps lets you adjust the phase of the signal right at the amp. In addition the ST-XM phase control is variable from 0° to 180° so you can dial in exactly the phase relationship that works best in your car.

Parametry

Features and Functions

- Single channel, Class D, Bass Amplifier
- Compact chassis
- Variable input gain control
- Variable electronic crossover
- Variable subsonic filter
- Variable bass boost control
- Variable center frequency for bass boost
- variable phase control
- Strappable to use a pair of amps on a single voice coil
- Dash mount remote gain control

Specifications

- Power @ 1Ω: 1 x 1000 watts
- THD @ Rated Power
  Power @ 2Ω: 1 x 750 watts
- Power @ 4Ω: 1 x 500 watts
- Signal to Noise Ratio > 85dB
- THD + Noise
  Efficiency > 85%

Frequency Response 10Hz to 200Hz ±1dB

Input Sensitivity .25v to 5v

Dimensions in mm: 160(W) x 52(H) x 288(L) Overall: 160(W) x 52(H) x 314(L)

Marka - Producent - Osoba odpowiedzialna

Informacje o producencie:
Importer: Intergraf Trading Adres: Aleja Henryka Sienkiewicza 20, 05-126 Nieporęt Kontakt: e-mail biuro@caraudio.com.pl tel. 600-480-210

Osoba odpowiedzialna w UE: Podmiot gospodarczy z siedzibą w UE zapewniający zgodność produktu z wymaganymi przepisami.
Intergraf Trading Adres: Aleja Henryka Sienkiewicza 20, 05-126 Nieporęt Kontakt: e-mail biuro@caraudio.com.pl tel. 600-480-210

Strona internetowa :http://zapco.com

Marka ZAPCO pomimo swojej dotychczasowej formalnej nieobecności na rynku polskim jest doskonale znana prawdziwym miłośnikom dźwięku w samochodach. ZAPCO to jedne z najlepszych wzmacniaczy samochodowych na świecie. Na swoją wysoką pozycję marka pracuje od 40 lat. Pierwszy prawdziwy wzmacniacz samochodowy klasy Hi-Fi pod marką ZAPCO powstał w 1974 roku.

Od tej pory ZAPCO nieustannie rozwija swoje technologie wprowadzając pionierskie rozwiązania, które potem przejmują inni producenci. To ZAPCO jako pierwsza firma wprowadziła separatory optyczne we wzmacniaczach, co pozwoliło na umieszczenie zasilacza i stopnia wzmocnienia w jednej obudowie eliminując zakłócenia wynikające z takiej konstrukcji. Powstał model Z-2200, który dał początek długiej serii niezwykle żywo brzmiących wzmacniaczy.

Kolejne innowacje techniczne ZAPCO zaowocowały wzmacniaczami, które zostawiły daleko w tyle całą konkurencję. W 2004 roku samochody wyposażone we wzmacniacze ZAPCO zdobyły 35% wszystkich nagród na światowych finałach IASCA, pokonując w tej klasyfikacji renomowanych producentów jednostek sterujących - drugie i trzecie miejsce. Dla podkreślenia dominacji ZAPCO wystarczy dodać, że wszyscy pozostali producenci wzmacniaczy musieli zadowolić się pulą 25% trofeów.

Ale ZAPCO nie spoczywa na laurach. Kolejny krok to wprowadzenie serii wzmacniaczy z wbudowanym procesorem DSP, który można kontrolować za pomocą komputera.

Poszukiwanie wciąż nowych rozwiązań technologicznych w celu podniesienia jakości dźwięku w samochodach wynika z prostej dewizy towarzyszącej marce od samego początku - Dźwięk ma znaczenie ! Nic innego nie chwyta tak za duszę i nie wyciska łez z oczu jak muzyka. To muzyka sprawia, że nogi tańczą. Ze wszystkich sztuk to muzyka ma największy i najszybszy wpływ na ciało i umysł.

Odtwarzanie muzyki w jej pełnej krasie, z pełnym bogactwem delikatnych szczegółów zasługuje na największy wysiłek. Ponieważ Dźwięk ma znaczenie ....



Informacje o bezpieczeństwie

Pobierz informacje dotyczące bezpieczeństwa i recyklingu wzmacniaczy samochodowych

>>> WZMACNIACZE